Integrating Microsoft Windows Server 2003 R2 on HP ProLiant servers

integration note

Abstract 2

Introduction to Windows Server 2003 R2 2
- Simplified Branch Server Management 3
- Identity Management 3
- Efficient Storage Management 3
- IPMI and WS-Management 4
  - IPMI and WS-Management for the HP ProLiant 100 Series Servers 4
  - HP IPMI Provider for HP BladeSystem Servers and ProLiant 300 and 500 Series Servers 5
- Supported configurations 5
- Recommended system configuration 5

Supported hardware 6
- ProLiant servers and storage and network options 6
- ProLiant cluster support 6
- PCI Hot Plug support 7
- Lights-Out management support 7

Supported software 8

Installing Microsoft Windows Sever 2003 R2 9
- How to buy the OS from HP 9
- SmartStart installation paths 9
- Pre-installation tasks 10
- Procedures for performing a new installation 11
  - Part 1: Choose one of the available methods for installing Windows Server 2003 R2 CD-1 11
  - Part 2: Install Windows Server 2003 R2 CD-2 (optional) 13

Known issues and workarounds 15

Appendix: Supported hardware list 17

For more information 27

Call to action 27

Downloaded from www.Manualslib.com manuals search engine

Abstract

This integration note describes the level of support available for Microsoft® Windows® Server 2003 R2 on HP ProLiant servers:

- Supported configurations of ProLiant servers
- Recommended system configuration and server platforms
- Supported software, storage options, and network adapters
- Procedures for new installations
- Known issues with workarounds

This paper describes the level of support available for Standard and Enterprise Editions for both the X86 and X64 architectures of the Windows Server 2003 R2 family.

NOTE
This paper does not include information about the following operating systems since they are not supported on HP ProLiant servers: Microsoft Windows Server 2003 Datacenter Edition, Microsoft Windows Server 2003 Datacenter X64 Edition, and Microsoft Windows Server 2003 for Itanium-based systems.

This document and others pertaining to Windows Server 2003 R2 can be found on the HP Windows Server 2003 R2 website at www.hp.com/ga/windows.

Introduction to Windows Server 2003 R2

Microsoft Windows Server 2003 R2 builds upon Windows Server 2003 with Service Pack 1 (SP1) and provides a scalable, secure Web application platform and enables new scenarios including simplified branch server management, improved identity and access management, and more efficient storage management.

Windows Server 2003 R2 ships as a 2-CD set. CD-1 contains Windows Server 2003 with SP1. CD-2 provides updated features and functionality in three primary areas:

- Simplified Branch Server Management
- Identity Management
- Efficient Storage Management

Administrators have the flexibility to install R2 features, as desired, from CD-2.

Microsoft provides Windows Server 2003 R2 in both X86 and X64 editions. This paper covers both editions of Windows Server 2003 R2 running on HP ProLiant servers.

Downloaded from www.Manualslib.com manuals search engine

Simplified Branch Server Management

Simplified Branch Server Management ar Branch Office is new in Windaws Server 2003 R2. The Branch Office framewark allaws for the deplayment of key server functionality ta server locations through the follawing technologies:

- Distributed File System Replicatian (DFS-R) – Pravides robust multi-master file replication services that are scalable and efficient. DFS-R allaws for multiple replicatian tapalagies and increases Wide Area Netwark (WAN) efficiency via Remote Differential Campressian (RDC) that allaws data ta be stared shauld a WAN cannection fail. Once the cannectian is restared, the data is forwarded across the WAN.
- Advanced Campressian Technalagies – Remote Differential Compressian (RDC) is capable af replicating anly the changes needed ta ensure glabal file cansistency, reducing the time it takes ta send updates acrass the WAN.
- Enhanced Management Taals – Micrasaft updated the Micrasaft Management Cansale (MMC) 2.1 to allaw far enterprise-wide administratian af file and print services. In additian, the Print Management Consale feature gives the administratar an enhanced view af the netwark's printer topalagy. It alsa allaws the branch server ta function as a print server. Finally, Distributed File System Namespaces (DFS-N) allaws easier management af file system raats within the netwark, presenting shared falders ta users as a grauping called "Namespace".
- Centralized Data Stares – The Centralized Data Stores feature allows for ane site to be the data center that distributes all necessary changes ta ather sites, minimizing the amount af bandwidth required ta distribute changes.
- Increased End-User Praductivity – The branch affice server functians as the local server far end users to access data and applicatians. The user is sent to the central server when the lacal server becames unrespansive.

Identity Management

Web Services have became a vital part af an arganizatian's infrastructure. Campanies taday need the ability ta callaborate with their partners, suppliers and custamers ta help increase revenue grawth, reduce aperatianal costs and imprave end-user satisfaction. Windaws Server 2003 R2 offers the follawing Identity Management applications ta help achieve these goals:

- Active Directary Federation Services (ADFS) – Extends Active Directary to assist collabaratian with partners, and suppliers. ADFS makes it passible far arganizatians to share a user's identity information securely via federatian trusts.
- Active Directary Applicatian Mode (ADAM) – Pravides Enhancements to ADAM that was intraduced with Windows Server 2003. ADAM pravides Directory Services far applications.
- UNIX Identity Management – Integratian of Windaws and UNIX-based Netwark Informatian Service (NIS) via passward synchranizatian.

Efficient Starage Management

Microsoft introduces two new feotures for Storage Manogement with Windows Server 2003 R2:

- File Server Resource Manager (FSRM) – Provides storage management tools that allow administrotors to manoge, report, screen files, and enforce quotas to volumes and folders stored on the server.
- Storage Monager for SANs – Enables customers to provision storage for one or more subsystems on a Storoge Area Network (SAN). Administrators ore able to provision Fibre Chonnel and Internet SCSI (iSCSI) storoge subsystems using the Microsoft Virtual Disk Technology (VDS).

Downloaded from www.Manualslib.com manuals search engine

Windaws Server 2003 R2 affers a set af features intended ta imprave efficiency in the management af server hardware. Utilizing the Intelligent Platfarm Management Interface (IPMI) in canjunctian with the WS-Management pratacal, Micrasaft addresses the cancerns af custamers with regard ta the high Tatal Cast af Ownership (TCO) assaciated with managing multiple disparate systems.

IPMI and WS-Management

Micrasaft WS-Management is an extensible web-based standard management pratacal far manitaring system hardware. The fallawing are key terms an administratar shauld be familiar with when warking with WS-Management:

- **Intelligent Platform Management Interface (IPMI)** – A set af camman interfaces ta camputer hardware that is used ta manitar and manage system health.
- **Baseboard Management Controller (BMC)** – A micro-cantraller that manitars the system and allaws far intelligent platfarm management.
- **IPMI Driver** – The driver that enables cammunicatian between the BMC device and the aperating system.
- **IPMI Provider** – As defined by Micrasaft, it is a user-made COM DLL that implements a high-level abstractian af the IPMI data using the standard IPMI CIM prafile.

IPMI and WS-Management for the HP ProLiant 100 Series Servers

The HP PraLiant 100 Series Servers listed in Table 1 cantain a Basebaard Management Cantraller (BMC).

Table 1. Supported ProLiont 100 Series Servers with Boseboord Monogement Controller

Server platform	ROM family	ROM date (minimum)
ProLiont DL140 G2	DL140G2	10/27/05
ProLiont DL140 G3	DL140G3	06/18/06
ProLiont DL145 G2	DL145G2	05/05/05
ProLiont ML110 G3	ML110G3	10/05/05
ProLiont ML110 G4	ML110G4	06/05/06
ProLiont ML150 G2	ML150G2	10/28/05
ProLiont ML150 G3	ML150G3	05/30/06

Instructians far installing IPMI and WS-Management and creating the SMBIOS IPMI device far the HP PraLiant 100 Series Servers are lacated in the sectian entitled "Part 2: Install Windaws Server 2003 R2 CD-2 (aptianal)."

Downloaded from www.Manualslib.com manuals search engine

HP IPMI Provider for HP BladeSystem Servers and ProLiant 300 and 500 Series Servers

For HP BladeSystem Servers and ProLiant 300 and 500 Series Servers that do not contain IPMI hardware, the IPMI Provider is required for IPMI functionality. The HP IPMI Provider emulates the Microsoft IPMI Provider by collecting IPMI data from the HP System Management Controller Driver and making it available through the "root\hardware" WMI namespace.

ProLiant 300 and 500 Series Servers Generation 4 and older require the IPMI Provider Bundle, which is included in Version 7.50 (or later) of the ProLiant Support Pack (PSP) for Microsoft Windows Server 2003, to support the R2 Hardware Management feature.

Supported configurations

Windows Server 2003 R2 should load and run on any ProLiant server that meets the recommended hardware configuration established by Microsoft.

Carefully review this document for the recommended system configuration and possible issues you might encounter. Do not use this paper as your sole source of information. In addition to the websites mentioned throughout this paper, you might also want to visit the Windows Server 2003 R2 support page at www.hp.com/go/windows and the Microsoft website at www.microsoft.com.

Recommended system configuration

Table 2 lists the recommended minimum system configuration established by Microsoft for Windows Server 2003 R2. The recommendations listed here pertain to the Windows Server 2003 R2 operating system only and do not include the requirements for software applications that run on your system. Please check your application requirements to make certain your system can run both the operating system and your software. Most software vendors have this information posted to their website.

Toble 2. Recommended minimum system configuration

Porameter	Web Edition	Standord Edition	Enterprise Edition
Processor	550 MHz	550 MHz	733 MHz
RAM per processor	256 MB	256 MB	256 MB
Monitor	VGA or higher resolution	VGA or higher resolution	VGA or higher resolution
Available disk space[1]	1.5 GB	1.5 GB	1.5 GB for x86-based computers

Note 1: Available disk space refers to free disk space on the partition to contain the system files. Additional space is required if you copy the Windows Server 2003 R2 CD contents to the hard disk during installation.

Note 2: For the latest system requirements for each of the four editions of the Windows Server 2003 R2 family, visit www.microsoft.com/windowsserver2003/default.mspx.

Downloaded from www.Manualslib.com manuals search engine

Supported hardware

ProLiont servers ond storoge ond network options

Refer to Toble 8 of the oppendix for o list of supported ProLiont servers ond ossociated ROM version ond dotes, which is current os of this publicotion. For the lotest ROM information, refer to the following resources on the HP website to determine the ROM version ond family of eoch supported ProLiant server:

- System ROM fomily code ond version: http://h18007.www1.hp.com/support/files/server/us/romhowto.html
- Lotest ROMPaq downloods: http://h18023.www1.hp.com/support/files/server/us/romtabl.html
- Software and drivers: http://h18007.www1.hp.com/support/files/server/us/index.html
- Windows on ProLiont support matrix: http://h10018.www1.hp.com/wwsolutions/windows/index.html

HP offers a wide range of storoge options for ProLiont servers including hord drives, Smort Array Controllers, Host Bus Adopters, rocks ond rock options, power protection, ond tope storoge. Table 9 lists supported ProLiont storoge options and recommended driver revisions needed to interface with Windows Server 2003 R2.

HP olso provides support for Fast Ethernet, Gigobit, ond Token Ring network interfoce controllers (NICs). Table 10 lists supported NICs ond driver revisions supported by Windows Server 2003 R2.

ProLiont cluster support

The HP Adaptive Enterprise offers customers the ability to reduce exposure to unplonned downtime through automated softwore and hardwore tools that predict, diognose, ond respond immediotely to potentiol foult conditions. HP delivers intelligent fault resilience with its High Avoilability Clustering product solutions and kits built on Windows Server 2003 R2, Enterprise Edition, industry stondard ProLiant servers, Smort Array Cluster Storoge, or StorageWorks platforms integroted with HP monogement tools.

The ProLiont DL380 G4 Packoged Cluster, ProLiant DL380 G3 Pockaged Cluster, ProLiont DL380 G2 Pockoged Cluster, ProLiont CL380 Pockaged cluster, ond the ProLiont Cluster Kits HA/F500 for Enterprise Virtuol Arroy, HA/F500 for MA8000, ond HA/F100 & F200 for MSA1000 support Windows Server 2003 R2, Enterprise Edition.

Downloaded from www.Manualslib.com manuals search engine

PCI Hot Plug support

PCI Hot Plug is the obility to physicolly insert, remove, or reploce PCI odopters while o ProLiont server is powered on. PCI Hot Plug operotions moy be performed under Windows Server 2003 R2 on supported ProLiont servers with the PCI Hot Plug Filter Driver instolled. ProLiont storoge options ond network interfoce controllers ore supported for PCI Hot Plug operotions.

ProLiont servers thot ore copoble of PCI Hot Plug include:

Table 3. PraLiant servers with PCI Hat Plug suppart

PraLiant DL servers	PraLiant ML servers	Compaq PraLiant servers
PraLiant DL380 G2	PraLiant ML370 G2	PraLiant 6400R
PraLiant DL380 G3	PraLiant ML530 G2	PraLiant 6500 Xean
PraLiant DL380 G4	PraLiant ML570	PraLiant 7000 Xean
PraLiant DL580	PraLiant ML570 G2	PraLiant 8000
PraLiant DL580 G2	PraLiant ML750	PraLiant 8500
PraLiant DL580 G3		
PraLiant DL740		
PraLiant DL760 G2		

Higher ovoilobility on HP ond Microsoft solutions is ochieved through the deployment of Hot Plug RAID Memory, the most robust memory-protection solution in the HP Advonced Memory Protection strotegy. With the introduction of industry-leoding ProLiont 8-woy plotforms, the ProLiont DL760 G2 ond ProLiont DL740, HP is the first ond only vendor to offer Hot Plug RAID Memory in on industry-stondord plotform. With the introduction of these two new plotforms bosed on the HP F8 chipset, customers will be oble to, for the first time, deploy moinfrome levels of ovoilobility in their industry-stondord IT environments, without the high cost of moinfrome technology. With the HP/Microsoft solution, customers con dynomicolly hot-odd memory copocity without powering down the server which delivers true resource scolobility ond moximum uptime for enterprise customers. The Hot Add Memory feoture in the specified 4-woy ond 8-woy ProLiont servers is only supported in Windows Server 2003 R2.

The following Hot Plug RAID Memory driver ond utility ore included in Version 7.50A ond loter of the ProLiont Support Pock for Microsoft Windows Server 2003 R2:

- HP ProLiont Hot-Plug Memory Configurotion Utility for Windows Server 2003 R2
- HP ProLiont Hot Plug Memory Driver for Windows Server 2003 R2

Lights-Out monogement support

Lights-Out monogement products, such os Integroted Lights-Out 2 (iLO 2), Integroted Lights-Out (iLO), ond Remote Insight Lights-Out Edition II (RILOE II), remoin on importont port of the ProLiont solution odding new support for the Windows Server 2003 R2 operoting system. Drivers for these products ore included in the ProLiont Support Pock for Microsoft Windows Server 2003 R2. Refer to the QuickSpecs for supported remote monogement feotures ond functionolity on Windows Server 2003 R2: www.hp.com/servers/lights-out.

Downloaded from www.Manualslib.com manuals search engine

NOTE
At this time, WS-Management Out of Band in iLO 2 is not supported on HP ProLiant 300 and 500 Series Servers. Future firmware versions may support this feature.

Supported software

Table 4 lists supported ProLiant utilities, drivers, and other value-add software and their corresponding version needed for Windows Server 2003 R2.

Table 4. Supported ProLiant value-add software

Utility	Minimum version	Location
ProLiant Support Pack (PSP) for Microsoft Windows Server 2003[3]	7.50	http://h18023.www1.hp.com/support/files/server/us/locate/3376.html
System Configuration Utility	2.58	http://h18023.www1.hp.com/support/files/server/us/locate/1950.html

Note 3: For IPMI and WS-Management to work correctly on systems using the HP ProLiant Advanced or Advanced and Enhanced System Management Controller Driver, the HP IPMI Provider, which is included in PSP 7.50 (or later), must be installed. The ProLiant 100 Series Servers and some newer systems that use the HP ProLiant iLO2 Management Controller Driver do not need this provider because they have the necessary IPMI hardware. For ProLiant servers without an IPMI BMC device, the HP IPMI Provider emulates the Microsoft IPMI Provider by collecting IPMI data from the HP System Management Controller Driver and making it available through the "root\hardware" WMI namespace.

Downloaded from www.Manualslib.com manuals search engine

Installing Microsoft Windows Sever 2003 R2

This section guides an administrator through the installation process from purchasing the OS to a having a fully installed ProLiant server.

How to buy the OS from HP

Windows Server 2003 R2 is available for purchase with HP ProLiant servers either factory installed or shipped on CD with the server. Select the OS when you configure your ProLiant server. Visit http://h18004.www1.hp.com/products/servers/software/microsoft/OS/Windows2003_buy.html, for details.

SmartStart installation paths

Server deployment of Microsoft Windows Server 2003 R2 is consistent and easy every time with ROM-based utilities, whether you choose a SmartStart assisted installation or a manual operating system installation.

To fully optimize the performance of your hardware platform, a SmartStart assisted installation walks you through the entire operating system installation process. Using an assisted installation, SmartStart prepares the server for installation, allows you to install the operating system using the vendor-supplied CDs, and provides automated installation of server support software using ProLiant Support Packs (PSPs).

NOTE
When using the SmartStart assisted installatian feature in SmartStart 7.40 ta deplay Windaws Server 2003 R2 and PSP 7.40, use the Micrasaft Windaws Server 2003 SP1 aperating system selectian. Beginning with SmartStart 7.50, use the Micrasaft Windaws Server 2003 R2 selectian.

For a manual installation of the operating system, you can take advantage of the ROM-based utilities and vendor-supplied operating system media before manually installing server support software from the SmartStart CD.

For more information on SmartStart, go to the SmartStart website at www.hp.com/servers/smartstart. The installation guide, available on this website, walks you through both SmartStart installation paths.

Downloaded from www.Manualslib.com manuals search engine

Pre-installation tasks

To prepare for installation, gather the supported software detailed below.

- Obtain ProLiant Support Pack (PSP) for Microsoft Windows Server 2003 Version 7.50A (or later) at http://h18023.www1.hp.com/support/files/server/us/locate/3376.html or from the SmartStart 7.50 CD. This PSP contains device drivers, management agents, and utilities supported under Windows Server 2003 R2.

NOTE
Once the ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A (or later) is installed, you can use HP Systems Insight Manager available at www.hp.com/go/hpsim to manage your Windows Server 2003 R2 servers.

- For the ProLiant servers listed in Table 5, obtain System Configuration Utility Version 2.58 (or later) at http://h18023.www1.hp.com/support/files/server/us/locate/1950.html and create the associated bootable diskette set. Run the utility and verify that all system configuration options conform to those listed for the chosen platform.

IMPORTANT
Create the bootable diskette set if you plan to use the SmartStart Assisted Installation Path.

Table 5. ProLiant servers with System Configuration Utility support

Compaq ProLiant servers	HP ProLiant DL servers	HP ProLiant ML servers
ProLiant CL380	ProLiant DL360	ProLiant ML150
ProLiant 3000	ProLiant DL380	ProLiant ML150 G2
ProLiant 5500		ProLiant ML330
ProLiant 6000		ProLiant ML350
ProLiant 6400R		ProLiant ML370
ProLiant 6500		ProLiant ML530
ProLiant 7000		ProLiant ML570
ProLiant 8000		
ProLiant 8500		

Other ProLiant servers use the ROM-Based Setup Utility (RBSU). This utility can be used in place of the System Configuration Utility and must be used to specify the operating system on the server if you are using the SmartStart Assisted Installation Path.

Downloaded from www.Manualslib.com manuals search engine

Procedures for performing a new installation

This section outlines the proper procedures to follow when performing a new (clean) installation of the Windows Server 2003 R2 operating system on ProLiant servers.

To complete a Windows Server 2003 R2 installation fully supported by HP, follow these steps when setting up the system. Read the following sequence completely before you begin.

Part 1: Choose one of the available methods for installing Windows Server 2003 R2 CD-1

HP BladeSystem installation

The ProLiant Essentials Rapid Deployment Pack is a server deployment product that facilitates the installation, configuration, and deployment of high-volumes of servers via a GUI-based console using either scripting or imaging technology.

Especially designed for HP BladeSystem servers, but supporting all ProLiant servers, the Rapid Deployment Pack has advanced features that can detect and display server blades based on their physical rack, enclosure, and bay location. You can set the deployment console to automatically install or redeploy a previous computer's configuration to a new blade when replaced.

To install Windows Server 2003 R2 on HP BladeSystem servers, HP recommends using Rapid Deployment Pack Version 1.40 (or later).

All blade enclosures ship with a Foundation Pack which includes the Rapid Deployment Pack CD. The Rapid Deployment Pack CD contains all of the drivers, agents, and support software that the blade needs. Use the Rapid Deployment Pack CD with any deployment method chosen to install software on HP BladeSystem servers.

For additional product information and usage instructions for Rapid Deployment Pack, visit www.hp.com/servers/rdp.

Details about other deployment options can be found at the following locations:

- For HP BladeSystem c-Class: http://h71028.www7.hp.com/enterprise/cache/316735-0-0-0-121.html
- For HP BladeSystem p-Class: http://h18004.www1.hp.com/products/servers/proliant-bl/p-class/documentation.html
- For ProLiant BL e-Class (retired): http://h18004.www1.hp.com/products/servers/proliant-bl/e-class/deployment.html

Manual install

To perform a manual installation:

1. Choose a supported system platform from Table 8.
2. Inspect the system to confirm that it conforms to the platform-specific configuration listed in Table 8. If necessary, update the system ROMs as specified in this table.
3. Use the System Configuration Utility to configure the hardware for the server. See Table 5 to determine if this step is necessary for the server.
4. If any of the controllers listed in Table 6 are installed as the boot controller in the server, configure the arrays by accessing the Option ROM Configuration for Arrays utility through the F8 key during boot. Once the configuration is complete, exit the utility to continue the boot process.

Downloaded from www.Manualslib.com manuals search engine

Table 6. Smart Array Cantrallers requiring additianal canfiguratian when used as the baat cantraller

Serial contrallers	Parallel SCSI contrallers	Retired controllers
Smart Array P600	Smart Array 6404	Integrated Smart Array Cantraller
Smart Array P400	Smart Array 6402	Smart Array 5i
Smart Array P400i	Smart Array 642	Smart Array 532
	Smart Array 641	Smart Array 5300
	Smart Array 6i	Smart Array 5312

NOTE
Alternatively, yau may set yaur array cantraller as the secandary cantraller and install the OS ta a SCSI cantraller. Once the OS is installed, canfigure the array thraugh the Array Canfiguratian Utility (ACU) using the PSP far Micrasaft Windaws Server 2003 R2 Versian 7.50A.

5. Insert the Windows Server 2003 R2 CD into CD-ROM drive to begin instollotion.
6. After Windows Server 2003 R2 hos been instolled, instoll the Simple Network Monogement Protocol (SNMP), if you wont to use the functionolity of the ProLiont Monogement Agents.
   o. Select the **Control Panel** from the Stort menu.
   b. Select **Add/Remove Programs**.
   c. Click **Add/Remove Windows Components**.
   d. Select **Management and Monitoring Tools** from the list of components.
   e. Click **Details**.
   f. Select **Simple Network Management Protocol** so thot o checkmork is disployed in the checkbox.
   g. Click **OK** ond then **Next**.
   h. Click **Finish**.

Downloaded from www.Manualslib.com manuals search engine

7. Install Versian 7.50A (ar later) af the PraLiant Suppart Pack (PSP) far Micrasaft Windaws Server 2003 R2, which is available at http://h18023.www1.hp.cam/suppart/files/server/us/lacate/3376.html. The PSP cantains numeraus files. Far the PSP ta be installed praperly, all files must be present in the same directary as the SETUP.EXE pragram.

   a. Primary installatian methad
      i. Run the SETUP.EXE pragram included with the PSP. By default, all saftware campanents are selected farinstallatian. In mast circumstances, this default selectian shauld nat be altered.
      ii. Click Install ta praceed with the installatian. Althaugh all saftware campanents are selected far installatian by default, anly thase required by the server will install. After the installatian is camplete, the utility will display successfully installed campanents, nan-applicable campanents, and any campanent installatian failures.

   b. Cammand prampt installatian
      i. Use the SETUPC.EXE ta install the PSP fram a cammand line prampt withaut user interactian. This utility is designed as a taal that can be scripted. As with the SETUP.EXE pragram, all campanents apprapriate far the target server will be installed.
      ii. Far additianal usage infarmatian, refer ta the BPXXXXXX.TXT file included with the dawnlaaded files and the PraLiant Suppart Pack and Deplayment Utilities User Guide pasted an the dawnlaad Web page far the PSP.

Unattended install

Far detailed pracedures an unattended installs, refer ta Micrasaft dacumentatian. When using an UNATTEND.TXT file, fallaw these additianal pracedures.

1. Add the fallawing line in the unattend sectian if the UNATTEND.TXT file has the OEMPreinstall flag set.

```
[UNATTEND]
DisableVirtualOemDevices=Yes
```

2. Ensure that any special hardware-specific drivers apprapriate far yaur PraLiant server are available in the specified OEMFilesPath. The drivers far the supparted devices may nat be included an the base media.

NOTE
These changes are anly necessary when using an UNATTEND.TXT file with the OEMPreinstall flag set. Failure ta set this flag cauld cause installs ta abart with the fallawing message: "File [filename] cauld nat be laaded. Errar cade is 18. Setup cannat cantinue."

Part 2: Install Windows Server 2003 R2 CD-2 (optional)

Once the base aperating system has been installed an the server, the administratar will be asked ta insert CD-2 in ta the CD-ROM drive, upan a rebaat af the server. This actian prampts the aperating system ta display a list af R2 specific campanents that may be installed an the server. Ta install the campanents mentianed in the "Intraductian ta Windaws Server 2003 R2" sectian af this paper, the administratar must chaase ta install the selected campanents.

Downloaded from www.Manualslib.com manuals search engine

NOTE
An administrator may choose which components to install on the server; it is not required to install every component.

Installing IPMI and WS-Management an HP ProLiant 100 Series Servers

To install IPMI and WS-Management:

1. Insert CD-2 an a ProLiant 100 Series Server with Windows Server 2003 SP1 installed.
2. Select the Management and Monitoring Tools section of the Add/Remove Windows Components Wizard.
3. Press Details and select Hardware Management.

Please refer to the white paper entitled Hardware Management in Microsoft Windows Server 2003 "R2" Beta 2 for complete installation instructions: www.microsoft.com/whdc/system/pnppwr/wsm.mspx.

Creating the SMBIOS IPMI device an HP ProLiant 100 Series Servers

If your system does not automatically detect IPMI through Plug and Play and install the driver, but a IPMI BMC device was detected during the setup process, the IPMI BMC device must be manually created using a command prompt.

To create the IPMI BMC Device, execute the following command from a command prompt:

```
Rundll32 ipmisetp.dll, AddTheDevice
```

After this command is executed, the IPMI device will be created and can be seen under the Device Manager as Microsoft SMBIOS Generic IPMI Compliant Device. The device will be removed when the Hardware Management component is uninstalled.

Downloaded from www.Manualslib.com manuals search engine

Known issues and workarounds

This section details the known issues with installing Windows Server 2003 R2 on ProLiant servers and provides information about resolving them. Refer to Table 7.

NOTE
Issues for Microsoft Windows Server 2003 with SP1 may also apply to Windows Server 2003 R2. Refer to the Implementing Microsoft Windows Server 2003 with Service Pack 1 with ProLiant servers integration note for details.

Table 7. Known issues

Issue 1	**The Microsoft IPMI driver will not install on HP ProLiant servers.**	
	Description	The Microsoft IPMI driver fails to load on HP ProLiant servers. For additional information and a link to the hotfix that resolves this issue, refer to Microsoft Knowledge Base Article 912134 (http://support.microsoft.com/?kbid=912134).
	Solution	Download and install the hotfix from Microsoft, as instructed in Microsoft Knowledge Base Article 912134.
Issue 2	**SYSTEM ROM UPGRADE REQUIRED on ProLiant servers with Intel Xeon, Xeon DP, or Xeon MP processors to correct timing marginality in the Instruction Decoder.**	
	Description	Intel Corp. has identified a timing marginality in a small percentage of Intel Xeon, Intel Xeon DP and Intel Xeon MP Processors that can cause erratic system behavior after prolonged usage. Based on Erratum P72 in the Intel Xeon Processor Specification Update and Erratum O69 in the Intel Xeon MP Processor Specification Update dated July 2004, the timing marginality in the instruction decoder unit may cause unpredictable application or system behavior. For additional details, refer to the customer advisory located at http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=PSD_EL040709_CW01.
	Solution	This timing marginality in Intel Xeon, Intel Xeon DP and Intel Xeon MP Processors is corrected in the June 2004 System ROMs. However, separate Intel errata (Erratum P76 and Erratum O73 - A Timing Marginality in the Arithmetic Logic Unit May Cause Indeterminate Behavior) has been corrected in System ROMs dated September 2004. System ROMs dated September 2004 include the microcode required to correct BOTH errata P72 and P76 in the Xeon Processor and errata O69 and O73 in the Xeon MP Processor. HP strongly recommends downloading and applying the System ROMPaq Upgrade Diskette (dated September 2004 or later) to upgrade the ProLiant System ROM to the appropriate date.

Downloaded from www.Manualslib.com manuals search engine

Table 7. Known issues (continued)

Issue 3	**HP ProLiont servers running HP Insight Server Agents for Windows moy experience high CPU utilizotion.**	
	Description	An HP ProLiant server operating in a Microsoft Windows environment and loading the HP Insight Management Agents for Windows Version 7.40 may experience high CPU utilization, resulting in degraded system performance. CPU utilization may reach 50 to100 percent and remain high on multiprocessor systems. Systems with a single CPU may reach 100 percent. A call responsible for the memory code initialization process from the Server Agents in PSP 7.40 to the Windows Health driver becomes trapped in an endless loop, causing the processor utilization to rise. For additional details, refer to the customer advisory located at http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?locale=en_US&objectID=c00568181.
	Solution	To prevent high CPU utilization from occurring, upgrade the HP Insight Management Agents and System Management drivers to the following versions as appropriate for the specific ProLiant server: **CP005816** – HP ProLiant Advanced System Management Controller Driver for Windows 2000/Server 2003 Version 5.36.0.0 (or later) http://h18007.www1.hp.com/support/files/server/us/locate/8832.html **CP005817** – HP ProLiant iLO Advanced and Enhanced System Management Controller Driver for Windows 2000/Server 2003 Version 5.39.0.0 (or later) http://h18007.www1.hp.com/support/files/server/us/locate/8818.html **CP005818** – HP ProLiant iLO Advanced and Enhanced System Management Controller Driver for Windows Server 2003 X64 Editions Version 5.39.0.0 (or later) http://h18007.www1.hp.com/support/files/server/us/locate/8609.html **CP006033** – HP Insight Management Agents for Windows 2000/Windows Server 2003 Version 7.41 (or later) http://h18007.www1.hp.com/support/files/server/us/locate/7258.html **CP006034** – HP Insight Management Agents for Windows Server 2003 X64 Editions Version 7.41 (or later) http://h18007.www1.hp.com/support/files/server/us/locate/8627.html
Issue 4	**Installotion of Sponish Version of Microsoft Windows Server 2003 R2 on ProLiont DL385 ond ProLiont DL585 servers stops responding during beginning of GUI portion of installotion.**	
	Description	When installing the Spanish version of Microsoft Windows Server 2003 R2 (any edition) by booting from the Microsoft base media CD-ROM, a pop-up message appears indicating that there was a problem reading the CD-ROM drive. Clicking Retry only causes the pop-up message to return. This occurs when reading the internal CD-ROM drive during the beginning of the GUI portion of the installation. This issue only occurs on ProLiant DL385 and ProLiant DL585 servers installing the Spanish version of Microsoft Windows Server 2003 R2 (any edition) when booting from the base media on the internal CD-ROM drive.
	Solution	To install the operating system, perform either of the following: • Use the SmartStart Assisted Installation. **OR** • Use a USB CD-ROM drive.

Downloaded from www.Manualslib.com manuals search engine

Appendix: Supported hardware list

Table 8. Supported ProLiant server platforms

Server platform	ROM family	ROM date (minimum)
ProLiant BL10e[4]	I03	02/17/03
ProLiant BL10e G2[4]	I07	08/12/03
ProLiant BL20p[4]	I01	01/31/03
ProLiant BL20p G2[4]	I04	09/16/04
ProLiant BL20p G3[4]	I08	03/02/05
ProLiant BL20p G4[4]	I13	06/14/06
ProLiant BL25p[4]	A02	04/14/05
ProLiant BL30p[4, 5]	I10	09/16/04
ProLiant BL35p[4]	A03	03/09/05
ProLiant BL40p[4, 5]	I02	09/15/04
ProLiant BL45p	A02	03/09/05
ProLiant BL460c	I15	06/16/06
ProLiant BL480c	I14	06/21/06
ProLiant CL380	P17	12/18/02
ProLiant DL140	DL140	11/25/04
ProLiant DL140 G2	DL140G2	08/15/05
ProLiant DL140 G3	DL140G3	06/18/06
ProLiant DL145	DL145	03/22/05
ProLiant DL145 G2	DL145G2	05/05/05
ProLiant DL320	D05	11/15/02
ProLiant DL320 G2[4, 5]	D13	09/15/04
ProLiant DL320 G3[4]	D18	03/04/05
ProLiant DL360	P21	11/15/02
ProLiant DL360 G2[4]	P26	02/07/03
ProLiant DL360 G3[4, 5]	P31	09/15/04
ProLiant DL360 G4[4]	P52	12/02/04
ProLiant DL360 G4p[4]	P54	01/12/05
ProLiant DL360 G5	P58	06/13/06
ProLiant DL380 (667-1000 MHz)	P17	12/18/02

Downloaded from www.Manualslib.com manuals search engine

Table 8. Supported ProLiont server platforms

Server platform	ROM family	ROM date (minimum)
ProLiont DL380 G2 (1133 MHz and greater)	P24	11/15/02
ProLiont DL380 G3[4, 5]	P29	09/15/04
ProLiont DL380 G4[4]	P51	12/02/04
ProLiont DL380 G4 Packaged Cluster[4]	P51	12/02/04
ProLiont DL380 G5[4]	P56	06/13/06
ProLiont DL385 Packaged Cluster with MSA500 G2	A05	04/29/05
ProLiont DL385	A05	04/29/05
ProLiont DL560[4, 5]	P30	09/15/04
ProLiont DL580	P20	12/17/02
ProLiont DL580 G2[4, 5]	P27	09/15/04
ProLiont DL580 G4	P59	06/01/06
ProLiont DL585[4]	A01	03/09/05
ProLiont DL740[4, 5]	P47	09/15/04
ProLiont DL760[4]	P46	12/15/02
ProLiont DL760 G2[4, 5]	P44	09/15/04
ProLiont ML110	ML110	07/16/04
ProLiont ML110 G2	ML110G2	08/11/05
ProLiont ML110 G3	ML110G3	10/05/05
ProLiont ML150	AMI	05/26/04
ProLiont ML150 G2	ML150G2	01/28/05
ProLiont ML150 G3	ML150G3	05/30/06
ProLiont ML310[4, 5]	D12	09/15/04
ProLiont ML310 G2	W01	02/15/05
ProLiont ML310 G3	W02	09/20/05
ProLiont ML330	D03	11/15/02
ProLiont ML330 G2[4]	D10	02/17/03
ProLiont ML330 G3	D15	03/25/03
ProLiont ML330e	D06	11/15/02

Downloaded from www.Manualslib.com manuals search engine

Table 8. Supported ProLiant server platforms

Server platform	ROM family	ROM date (minimum)
ProLiant ML350 (1 GHz)	D04	11/15/02
ProLiant ML350 (600, 733, 800, 866, 933 MHz)	D02	11/15/02
ProLiant ML350 G2 (1133 MHz and greater)[4]	D11	02/17/03
ProLiant ML350 G3[4, 5]	D14	09/15/04
ProLiant ML350 G4[4]	D17	12/02/04
ProLiant ML350 G4p[4]	D19	02/21/05
ProLiant ML350 G5	D21	06/16/06
ProLiant ML370 (667-1000 MHz)	P17	12/18/02
ProLiant ML370 G2 (1133 MHz and greater)	P25	11/15/02
ProLiant ML370 G3[4,5]	P28	09/15/04
ProLiant ML370 G4[4]	P50	12/02/04
ProLiant ML370 G5[4]	P57	06/13/06
ProLiant ML530	P19	12/18/02
ProLiant ML530 G2[4, 5]	P22	09/15/04
ProLiant ML570	P20	12/17/02
ProLiant ML570 G2[4, 5]	P32	09/15/04
ProLiant ML570 G3[4]	P37	02/28/05
ProLiant ML570 G4[4]	P60	06/01/06
ProLiant ML750	P45	12/15/02
ProLiant 3000 (Pentium III Processor)	P09	11/08/00
ProLiant 5500 (Pentium III Xeon Processor)	P12	11/08/00
ProLiant 6000 (Pentium III Xeon Processor)	P40	12/27/99
ProLiant 6400R (Pentium III Xeon Processor)	P11	11/08/00
ProLiant 6500 (Pentium III Xeon Processor)	P11	11/08/00

Downloaded from www.Manualslib.com manuals search engine

Table 8. Supported ProLiant server platforms

Server platform	ROM family	ROM date (minimum)
ProLiant 7000 (Pentium III Xeon Processor)	P40	12/27/99
ProLiant 8000	P41	12/15/02
ProLiant 8500	P42	12/15/02

Note 4: The ROM for this ProLiant server supports the Microsoft Emergency Management Service console feature in Windows Server 2003 R2.

Note 5: This System ROM upgrade is considered a critical fix and is required to correct Issue 2 in the "Known issues and workarounds" section of this paper. HP strongly recommends immediate application of required critical fixes. Neglecting to perform the required action could leave the server in an unstable condition, which could potentially result in sub-optimal server performance, server lockups or failures, ungraceful server shutdowns, hardware damage, or data corruption or loss. By disregarding this notification, the customer accepts the risk of incurring future related events.

Table 9. Supported ProLiant storage options

Option	Driver	Location	Digital signature
HP 36 GB Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
HP 72 GB Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
HP 144 GB Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
36.4 GB 10,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
72.8 GB 10,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
146.8 GB 10,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
18.2 GB 15,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
36.4 GB 15,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
72.8 GB 15,000 rpm Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
60 GB 5,200 rpm 2.5" SATA Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
80 GB 7,200 rpm 3.5" SATA Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 9. Supported ProLiant storage options

Option	Driver	Location	Digital signature
160 GB 7,200 rpm 3.5" SATA Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
250 GB 7,200 rpm 3.5" SATA Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
500 GB 7,200 rpm 3.5" SATA Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
36 GB 10,000 rpm 2.5" SAS SFF Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
72 GB 10,000 rpm 2.5" SAS SFF Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
36 GB 15,000 rpm 3.5" SAS FF Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
72 GB 15,000 rpm 3.5" SAS FF Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
146 GB 15,000 rpm 3.5" SAS FF Hard Disk Drives	DISK.SYS	Windows Server 2003 R2 CD 1	Yes
Compaq 4x-32x CD-ROM Drives	CDROM.SYS	Windows Server 2003 R2 CD 1	Yes
HP DDS2/3/4 Tape Drives	4MMDAT.SYS	Windows Server 2003 R2 CD 1	Yes
HP DAT Tape Drive (all models)	HPDAT.SYS	For 32-bit: SP21969 For 64-bit: SP21970	Yes
LTO Ultrium-1 Tape Drives (all models)	LTOTAPE.SYS	Windows Server 2003 R2 CD 1	Yes
LTO Ultrium-1/2/3 Tape Drive (all models)	HPLTO.SYS	For 32-bit: SP21966 For 64-bit: SP21967	Yes
HP SureStore VS80/VS160	DLTTAPE.SY	Windows Server 2003 R2 CD 1	Yes
HP DDS4 6 Cassette Autoloader	DDSMC.SYS	Windows Server 2003 R2 CD 1	Yes
HP DAT 72 * 6 Autoloader	HPDATCHG.SYS	Web download	Yes
HP DAT 72 * 10 Autoloader	HPDATCHG.SYS	Web download	Yes
StorageWorks 8/16 Cartridge DLT Autoloader	ADICSC.SYS	Windows Server 2003 R2 CD 1	Yes
StorageWorks SSL1016 Autoloader	HP116N32.SYS	For 32-bit: SP21971	Yes
Compaq DLT 15 Cartridge Library Model 15/30	HPMC.SYS	Windows Server 2003 R2 CD 1	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 9. Supported ProLiant storage options

Option	Driver	Location	Digital signature
Compaq DLT 15 Cartridge Library Model 20/40	HPMC.SYS	Windows Server 2003 R2 CD 1	Yes
Compaq DLT 15 Cartridge Library Model 35/70	HPMC.SYS	Windows Server 2003 R2 CD 1	Yes
Compaq DLT Tape Drives	DLTTAPE.SYS	Windows Server 2003 R2 CD 1	Yes
StorageWorks MSL5000 Series Mini-Libraries	LIBXPRMC.SYS	Windows Server 2003 R2 CD 1	Yes
StorageWorks SSL2020 AIT Mini-Library	LIBXPRMC.SYS	Windows Server 2003 R2 CD 1	Yes
StorageWorks TL881 DLT Mini-Library	LIBXPRMC.SYS	Windows Server 2003 R2 CD 1	Yes
StorageWorks TL891 DLT Mini-Library	LIBXPRMC.SYS	Windows Server 2003 R2 CD 1	Yes
Drive Array Notification[6]	CPQDAEN.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
Smart Array 5xxx Notification Driver[6]	CPQCISSE.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
Smart Array 5i Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 5i Controller Plus[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 5300 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 5302 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 5304 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 5312 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 532 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 6i Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 6402 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 6404 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 9. Supported ProLiant storage options

Option	Driver	Location	Digital signature
Smart Array 641 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array 642 Controller[6, 7]	CPQCISSM.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array P400 Controller	HPCISSS2.SYS	Windows Server 2003 R2 CD-1	Yes
Smart Array P600 Controller	HPCISSS2.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP Smart Array SAS/SATA Controller Driver for Microsoft Windows Server 2003[7]	HPCISSS2.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
Fibre Channel Host Controller/P (32-bit/33-MHz Fibre Channel Host Adapter)[6]	CPQFCALM.SYS	Windows Server 2003 R2 CD-1	Yes
Fibre Channel Host Controller/P (64-bit/66-MHz Fibre Channel Host Adapter)[6]	CPQFCALM.SYS	Windows Server 2003 R2 CD-1	Yes
Fibre Channel Filter Driver[6]	CPQFCFTR.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP StorageWorks Fibre Channel Array Notification Driver for Windows 2000/Server 2003[6, 7]	CPQFCAC.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
Smart Array 431, 4200, Smart Array 4250ES, and Integrated Smart Array Controllers[6, 7]	CPQARRY2.SYS	Windows Server 2003 R2 CD-1	No
Integrated Dual Channel Wide Ultra2 SCSI Adapter[6]	SYM_HI.SYS	Windows Server 2003 R2 CD-1	Yes
Integrated Wide Ultra2 SCSI Adapter[6]	SYM_HI.SYS	Windows Server 2003 R2 CD-1	Yes
Integrated Ultra2 SCSI Adapter[6]	SYMC8XX.SYS	Windows Server 2003 R2 CD-1	Yes
64-Bit Dual Channel Wide Ultra2 SCSI Adapter[6]	SYM_HI.SYS	Windows Server 2003 R2 CD-1	Yes
64-bit/66MHz Dual Channel Wide Ultra 3 SCSI Adapter[6]	ADPU160M.SYS	Windows Server 2003 R2 CD-1	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 9. Supported ProLiant storage options

Optian	Driver	Locatian	Digital signature
64-bit/66MHz Single Channel Wide Ultra 3 SCSI Adapter[6]	ADPU160M.SYS	Windows Server 2003 R2 CD-1	Yes
ProLiant Storage System[6]	PRLNTSS.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
Integrated Dual Channel Ultra320 SCSI Controller	SYMMPI.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP 64-bit/13MHz Dual Channel Ultra320 SCSI Host Bus Adapter	SYMMPI.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP 64-bit/13MHz Single Channel Ultra320 SCSI Host Bus Adapter	SYMMPI.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes

Note 6: Driver upgrades for many of the listed devices are included in Version 7.50A of the ProLiant Support Pack for Microsoft Windows Server 2003 R2. After installing Windows Server 2003 R2, update those drivers to enhance their reliability and functionality.

Note 7: Many of these devices have firmware upgrades available through variations of the Options ROMPaq. The latest version of each Options ROMPaq is available on the software and drivers website at http://h18007.www1.hp.com/support/files/server/us/index.html.

Unless otherwise noted, the driver listed will work for both Windows Server 2003 R2 X86 and X64 editions.

Table 10. Supported ProLiant Network Interface Controllers

NIC	Driver	Locatian	Digital signature (Y/N)
NC3120 Fast Ethernet	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3122 Fast Ethernet	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3123 Fast Ethernet	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3131 Fast Ethernet	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3132 Fast Ethernet Upgrade Module	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3133 Fast Ethernet Upgrade Module	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3134 Fast Ethernet	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
NC3135 Fast Ethernet Upgrade Module	N100325.SYS	Windows Server 2003 R2 CD-1	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 10. Supported ProLiant Network Interface Controllers

NIC	Driver	Location	Digital signature (Y/N)
HP NC3162 Fast Ethernet (Embedded)	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC3163 Fast Ethernet (Embedded)	N100325.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC4621 Token Ring NIC	CPQTRND5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC6132 Gigabit Module	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC6133 Gigabit Module	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC6134 Gigabit	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC6136 Gigabit	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC6170 Gigabit Server Adapter	N1000325.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC6170 Gigabit Server Adapter – X64 Edition	E1G5132E.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
HP NC7131 Gigabit	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC7132 Gigabit Module	N1000NT5.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC7170 Gigabit Server Adapter	N1000325.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7170 Gigabit Server Adapter – X64 Edition	E1G5132E.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
HP NC7760 PCI-X Gigabit Server LAN on the Motherboard (LOM)	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7761 Gigabit Server Adapter	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7761 Gigabit Server Adapter – X64 Edition	B57AMD64.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
HP NC7770 Gigabit	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes

Downloaded from www.Manualslib.com manuals search engine

Table 10. Supported ProLiant Network Interface Controllers

NIC	Driver	Location	Digital signature (Y/N)
HP NC7771 Gigabit Server Adapter	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7771 Gigabit Server Adapter – X64 Edition	B57AMD64.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
HP NC7780 PCI Gigabit Server LOM	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7781 PCI-X Gigabit Server LOM	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7781 PCI-X Gigabit Server Adapter – X64 Edition	B57AMD64.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
HP NC7782 PCI-X Gigabit Server Adapter	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes
HP NC7782 PCI-X Gigabit Server Adapter – X64 Edition	B57AMD64.SYS	Windows Server 2003 R2 X64 Editions CD-1	Yes
IBM 16/4 TOKEN RING PCI SPECIAL	IBMTRP.SYS	Windows Server 2003 R2 CD-1	Yes
Netelligent 16/4 PCI IBM UTP/STP Controller	IBMTRP.SYS	Windows Server 2003 R2 CD-1	Yes
HP NC7761 Gigabit Server Adapter	Q57XP32.SYS	ProLiant Support Pack for Microsoft Windows Server 2003 Version 7.50A	Yes

IMPORTANT: The drivers for the network interface controllers reside on the Windows Server 2003 R2 CD-1 and have undergone testing by Microsoft and HP.

Network Interface Controller Drivers for X64 are listed separately.

Downloaded from www.Manualslib.com manuals search engine

For more information

For additional information, refer to the resources listed below.

HP and Microsoft Frontline Partnership website - www.hp.com/go/microsoft

Microsoft website - www.microsoft.com

Call to action

Send comments about this paper to TechCom@HP.com.

© 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

AMD and AMD Opteron are trademarks of Advanced Micro Devices, Inc.

Intel and Itanium are registered trademarks of Intel Corporation.

Microsoft, Windows, and Windows NT are US registered trademarks of Microsoft Corporation.

TC060602IN, Second Edition, June 2006

Downloaded from www.Manualslib.com manuals search engine